

# BESTMAPLE

Hangzhou Bestmaple Auto Parts Co., Ltd.

## AUTOMOTIVE A/C COMPRESSOR CATALOG

FS / FSP / FD Series

Professional replacement solutions for automotive air-conditioning systems



A/C Compressors

Commercial Vehicles



Aftermarket Supply

Model Matching

Quality Parts | Stable Supply | Professional Service

Hangzhou Bestmaple Auto Parts Co., Ltd.

FS13 Series

					
Compatible Vehicle Models	JAC Junling	Compatible Vehicle Models	Ruixing M60	Compatible Vehicle Models	JAC Shuailing N721
Part Number	FS1301	Part Number	FS1302	Part Number	FS1303
Pulley Parameters	8PK/ $\phi$ 120	Pulley Parameters	5PK/ $\phi$ 115	Pulley Parameters	2A/ $\phi$ 127
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	24V
					
Compatible Vehicle Models	JAC Junling	Compatible Vehicle Models	JAC Junling	Compatible Vehicle Models	JAC Shuailing N721
Part Number	FS1304	Part Number	FS1305	Part Number	FS1306
Pulley Parameters	8PK/ $\phi$ 120	Pulley Parameters	7PK/ $\phi$ 120	Pulley Parameters	2A/ $\phi$ 127
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	JAC Shuailing	Compatible Vehicle Models	JAC Shuailing	Compatible Vehicle Models	Fuchun Mini Truck
Part Number	FS1307	Part Number	FS1308	Part Number	FS1309
Pulley Parameters	2A/ $\phi$ 127	Pulley Parameters	2A/ $\phi$ 127	Pulley Parameters	2A/ $\phi$ 127
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V

FS13 Series



Compatible Vehicle Models	10S13 Jiefang Small J6	Compatible Vehicle Models	JAC Junling Side Outlet	Compatible Vehicle Models	JAC Junling Side Outlet
Part Number	FS1310	Part Number	FS1311	Part Number	FS1312
Pulley Parameters	Single A/φ133	Pulley Parameters	8PK/ φ 120	Pulley Parameters	8PK/ φ 120
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	24V









Compatible Vehicle Models	Hitachi-5G	Compatible Vehicle Models	Hino Fuso	Compatible Vehicle Models	Merit
Part Number	FS1313	Part Number	FS1314	Part Number	FS1315
Pulley Parameters	Single B/φ139	Pulley Parameters	Single A/φ133	Pulley Parameters	8PK/ φ 120
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V



Compatible Vehicle Models	Geely King Kong	Compatible Vehicle Models	Liugong 907-5E	Compatible Vehicle Models	Fuchun Mini Truck
Part Number	FS1316	Part Number	FS1317	Part Number	FS1318
Pulley Parameters	4PK/ φ 120	Pulley Parameters	Single A/φ142	Pulley Parameters	2A/ φ 127
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	24V

FS13 Series

					
Compatible Vehicle Models	JAC Side Upper Outlet	Compatible Vehicle Models	JAC Small Light Truck YUNNEI D19	Compatible Vehicle Models	JAC Small Light Truck YUNNEI D19
Part Number	FS1319	Part Number	FS1320	Part Number	FS1321
Pulley Parameters	2A/ $\phi$ 127	Pulley Parameters	6PK/ $\phi$ 128	Pulley Parameters	6PK/ $\phi$ 128
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	24V
					
Compatible Vehicle Models	JAC Small Light Truck YUNNEI D20	Compatible Vehicle Models	JAC Small Light Truck YUNNEI D20	Compatible Vehicle Models	Hino Fuso
Part Number	FS1322	Part Number	FS1323	Part Number	FS1324
Pulley Parameters	6PK/ $\phi$ 128	Pulley Parameters	6PK/ $\phi$ 128	Pulley Parameters	Single A/ $\phi$ 133
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	Hitachi-5A	Compatible Vehicle Models	10S13 Liugong	Compatible Vehicle Models	JAC Junling
Part Number	FS1325	Part Number	FS1326	Part Number	FS1327
Pulley Parameters	Single B/ $\phi$ 152	Pulley Parameters	OA Groove/ $\phi$ 137	Pulley Parameters	7PK/ $\phi$ 120
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V

## FS13 Series



Compatible Vehicle Models	JAC Side Upper Outlet	Compatible Vehicle Models	JAC Shuailing T6	Compatible Vehicle Models	JAC Shuailing T6
Part Number	FS1328	Part Number	FS1329	Part Number	FS1330
Pulley Parameters	2A/ $\phi$ 127	Pulley Parameters	6PK/ $\phi$ 125	Pulley Parameters	6PK/ $\phi$ 125
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	24V












Compatible Vehicle Models	Fuchun Mini Truck	Compatible Vehicle Models	JMC Eight Legs	Compatible Vehicle Models	JAC Junling
Part Number	FS1331	Part Number	FS1332	Part Number	FS1333
Pulley Parameters	5PK/ $\phi$ 110	Pulley Parameters	8PK/ $\phi$ 120	Pulley Parameters	6PK/ $\phi$ 125
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V



Compatible Vehicle Models	10S13 Pulima	Compatible Vehicle Models	Dongfeng Ruiling	Compatible Vehicle Models	10S13 Fumeilai
Part Number	FS1334	Part Number	FS1335	Part Number	FS1336
Pulley Parameters	5PK/ $\phi$ 120	Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	4PK/ $\phi$ 132
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V

FS13 Series

					
Compatible Vehicle Models	10S13 Geely Panda	Compatible Vehicle Models	Great Wall Cannon	Compatible Vehicle Models	JAC Junling
Part Number	FS1337	Part Number	FS1338	Part Number	FS1339
Pulley Parameters	6PK/ φ 120	Pulley Parameters	6PK/ φ 111	Pulley Parameters	6PK/ φ 125
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	JAC Upper Outlet Front	Compatible Vehicle Models	JAC Songzhi Seven Legs	Compatible Vehicle Models	Foday Pickup
Part Number	FS1340	Part Number	FS1341	Part Number	FS1342
Pulley Parameters	6PK/ φ 128	Pulley Parameters	6PK/ φ 120	Pulley Parameters	6PK/ φ 112
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V
					
Compatible Vehicle Models	Great Wall Wingle	Compatible Vehicle Models	Foton Aoling M Series	Compatible Vehicle Models	Great Wall Wingle
Part Number	FS1343	Part Number	FS1344	Part Number	FS1345
Pulley Parameters	6PK/ φ 125	Pulley Parameters	6PK/ φ 128	Pulley Parameters	Single A/φ130
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V

FS11 Series



Compatible Vehicle Models	Lovol Small Wheel	Compatible Vehicle Models	Tiger Force	Compatible Vehicle Models	Lovol Small Wheel
Part Number	FS1101	Part Number	FS1102	Part Number	FS1103
Pulley Parameters	Single A/φ121	Pulley Parameters	8PK/ φ 110	Pulley Parameters	Single A/φ121
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V












Compatible Vehicle Models	Foton Time	Compatible Vehicle Models	Foton Time	Compatible Vehicle Models	Tiger Force
Part Number	FS1104	Part Number	FS1105	Part Number	FS1106
Pulley Parameters	5PK/ φ 100	Pulley Parameters	Single A/φ115	Pulley Parameters	8PK/ φ 110
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V



Compatible Vehicle Models	Yangzhou Weichai	Compatible Vehicle Models	Lovol Large Wheel	Compatible Vehicle Models	Foton Time
Part Number	FS1107	Part Number	FS1108	Part Number	FS1109
Pulley Parameters	6PK/ φ 100	Pulley Parameters	Single A/φ132	Pulley Parameters	4PK/ φ 100
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V


FS11 Series

					
Compatible Vehicle Models	Tiger Force Small Wheel	Compatible Vehicle Models	Doric Truck	Compatible Vehicle Models	Doric Truck
Part Number	FS1110	Part Number	FS1111	Part Number	FS1112
Pulley Parameters	8PK/ $\phi$ 100	Pulley Parameters	4PK/ $\phi$ 120	Pulley Parameters	4PK/ $\phi$ 120
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	24V
					
Compatible Vehicle Models	Lovol Large Wheel	Compatible Vehicle Models	Lovol Medium Single A	Compatible Vehicle Models	Xiamen Golden Dragon Coach
Part Number	FS1113	Part Number	FS1114	Part Number	FS1115
Pulley Parameters	Single A/ $\phi$ 132	Pulley Parameters	Single A/ $\phi$ 124	Pulley Parameters	6PK/ $\phi$ 100
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	Lovol Medium Single A	Compatible Vehicle Models	Lovol Single B	Compatible Vehicle Models	Lovol Single B
Part Number	FS1116	Part Number	FS1117	Part Number	FS1118
Pulley Parameters	Single A/ $\phi$ 124	Pulley Parameters	Single B/ $\phi$ 120	Pulley Parameters	Single B/ $\phi$ 120
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	24V

FS11 Series



Compatible Vehicle Models	Foton Time	Compatible Vehicle Models	Foton Time	Compatible Vehicle Models	Lovol Small Wheel 4PK
Part Number	FS1119	Part Number	FS1120	Part Number	FS1121
Pulley Parameters	6PK/Φ121	Pulley Parameters	6PK/Φ121	Pulley Parameters	4PK/Φ100
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	12V




Compatible Vehicle Models	Foton Time	Compatible Vehicle Models		Compatible Vehicle Models	
Part Number	FS1122	Part Number		Part Number	
Pulley Parameters	8PK/Φ110	Pulley Parameters		Pulley Parameters	
Coil Voltage	12V	Coil Voltage		Coil Voltage	

Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	

Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	

## FSP13 Series



Compatible Vehicle Models	Jiangling Kaiyun N720	Compatible Vehicle Models	Wuling Hongguang V	Compatible Vehicle Models	Jiangling Shunda
Part Number	FSP1301	Part Number	FSP1302	Part Number	FSP1303
Pulley Parameters	2A/ $\phi$ 122	Pulley Parameters	6PK/ $\phi$ 110	Pulley Parameters	2A/ $\phi$ 122
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V












Compatible Vehicle Models	Kaima/Dongfeng Little Overlord	Compatible Vehicle Models	Yuejin	Compatible Vehicle Models	Haowei
Part Number	FSP1304	Part Number	FSP1305	Part Number	FSP1306
Pulley Parameters	5PK/ $\phi$ 122	Pulley Parameters	5PK/ $\phi$ 122	Pulley Parameters	4PK/ $\phi$ 105
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V







Compatible Vehicle Models	Haowei	Compatible Vehicle Models	Mazda 6	Compatible Vehicle Models	Jinbei Microvan
Part Number	FSP1307	Part Number	FSP1308	Part Number	FSP1309
Pulley Parameters	Single A/ $\phi$ 122	Pulley Parameters	6PK/ $\phi$ 125	Pulley Parameters	4PK/ $\phi$ 110
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V

FSP13 Series

					
Compatible Vehicle Models	Chang'an Xingguang 4500	Compatible Vehicle Models	Chang'an Star 9	Compatible Vehicle Models	Jiabo Mini Excavator
Part Number	FSP1310	Part Number	FSP1311	Part Number	FSP1312
Pulley Parameters	Single A/φ118	Pulley Parameters	5PK/ φ 115	Pulley Parameters	Single O/ φ 118
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	SP Lovol	Compatible Vehicle Models	SP Dolica	Compatible Vehicle Models	Dongfeng Furika
Part Number	FSP1313	Part Number	FSP1314	Part Number	FSP1315
Pulley Parameters	Single A/φ117	Pulley Parameters	Single A/φ120	Pulley Parameters	6PK/ φ 114
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	SP Geely Kingkong	Compatible Vehicle Models	SP Geely Panda	Compatible Vehicle Models	Haifuxing
Part Number	FSP1316	Part Number	FSP1317	Part Number	FSP1318
Pulley Parameters	4PK/ φ 105	Pulley Parameters	6PK/ φ 114	Pulley Parameters	5PK/ φ 115
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V

FSP13 Series







Compatible Vehicle Models	Dongfeng Captain/Liuji	Compatible Vehicle Models	Shunda	Compatible Vehicle Models	Yuchai Mini Excavator/XCMG
Part Number	FSP1319	Part Number	FSP1320	Part Number	FSP1321
Pulley Parameters	6PK/ $\phi$ 107	Pulley Parameters	2A/ $\phi$ 122	Pulley Parameters	Single O/ $\phi$ 118
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V
 					
Compatible Vehicle Models	Mazda 3	Compatible Vehicle Models	Haowei Small Pulley	Compatible Vehicle Models	
Part Number	FSP1322	Part Number	FSP1323	Part Number	
Pulley Parameters	5PK/ $\phi$ 110	Pulley Parameters	5PK/ $\phi$ 106	Pulley Parameters	
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	
 					
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	

FSP15 Series

					
Compatible Vehicle Models	SP Dongfeng Tianlong	Compatible Vehicle Models	Yunnei D19	Compatible Vehicle Models	Yunnei D19
Part Number	FSP1501	Part Number	FSP1502	Part Number	FSP1503
Pulley Parameters	6PK/ φ 142	Pulley Parameters	6PK/ φ 128	Pulley Parameters	6PK/ φ 128
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	12V
					
Compatible Vehicle Models	SP15 New Hanwei	Compatible Vehicle Models	Delong New M3000	Compatible Vehicle Models	JAC Sunwin (D20)
Part Number	FSP1504	Part Number	FSP1505	Part Number	FSP1506
Pulley Parameters	6PK/ φ 132	Pulley Parameters	8PK/ φ 119	Pulley Parameters	6PK/ φ 128
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	JAC Xingrui (D20)	Compatible Vehicle Models	SP Prima	Compatible Vehicle Models	SP Fumeilai
Part Number	FSP1507	Part Number	FSP1508	Part Number	FSP1509
Pulley Parameters	6PK/ φ 128	Pulley Parameters	5PK/ φ 125	Pulley Parameters	4PK/ φ 131
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V

## FSP15/FSP17/FSP10 Series






					
Compatible Vehicle Models	King Long Haige	Compatible Vehicle Models	Dongfeng Huashen	Compatible Vehicle Models	SP Hanwei 375
Part Number	FSP1510	Part Number	FSP1511	Part Number	FSP1512
Pulley Parameters	4PK/ $\phi$ 120	Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	10PK/ $\phi$ 120
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	Jiangling Transit	Compatible Vehicle Models	Jiangling Transit	Compatible Vehicle Models	
Part Number	FSP1701	Part Number	FSP1702	Part Number	
Pulley Parameters	4PK/ $\phi$ 135	Pulley Parameters	5PK/ $\phi$ 125	Pulley Parameters	
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	
					
Compatible Vehicle Models	Chery QQ 1.1	Compatible Vehicle Models	Chery QQ6	Compatible Vehicle Models	Lechi 1.2
Part Number	FSP1001	Part Number	FSP1002	Part Number	FSP1003
Pulley Parameters	4PK/ $\phi$ 106	Pulley Parameters	4PK/ $\phi$ 120	Pulley Parameters	4PK/ $\phi$ 105
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V

FD15 Series












Compatible Vehicle Models	DKS15 Eight-Pin	Compatible Vehicle Models	DKS15 Eight-Pin	Compatible Vehicle Models	DKS15 Seven-Pin
Part Number	FD1501	Part Number	FD1502	Part Number	FD1503
Pulley Parameters	8PK/ $\phi$ 119	Pulley Parameters	10PK/ $\phi$ 119	Pulley Parameters	6PK/ $\phi$ 119
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	


FD17 Series



					
Compatible Vehicle Models	Aowei Four-Pin	Compatible Vehicle Models	Dongfeng Dalishen Four-Pin	Compatible Vehicle Models	Dongfeng Tianlong Eight-Pin
Part Number	FD1701	Part Number	FD1702	Part Number	FD1703
Pulley Parameters	8PK/ $\phi$ 119	Pulley Parameters	2A/ $\phi$ 135	Pulley Parameters	2A/ $\phi$ 135
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	Dongfeng Tianjin Eight-Pin	Compatible Vehicle Models	Foton Auman Serial-Pin	Compatible Vehicle Models	
Part Number	FD1704	Part Number	FD1705	Part Number	
Pulley Parameters	5PK/ $\phi$ 119	Pulley Parameters	5PK/ $\phi$ 140	Pulley Parameters	
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	

FD32 Series

					
Compatible Vehicle Models	DKS32 8PK	Compatible Vehicle Models	Midibus/Refrigerated Truck	Compatible Vehicle Models	Midibus/Refrigerated Truck
Part Number	FD3201	Part Number	FD3202	Part Number	FD3203
Pulley Parameters	8PK/ $\phi$ 147	Pulley Parameters	Double B/ $\phi$ 158	Pulley Parameters	Double B/ $\phi$ 158
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	12V
					
Compatible Vehicle Models	DKS32 Front 6PK	Compatible Vehicle Models	DKS32 10PK	Compatible Vehicle Models	DKS32 10PK
Part Number	FD3204	Part Number	FD3205	Part Number	FD3206
Pulley Parameters	6PK/ $\phi$ 156	Pulley Parameters	10PK/ $\phi$ 147	Pulley Parameters	10PK/ $\phi$ 147
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V
					
Compatible Vehicle Models	DKS32 6PK	Compatible Vehicle Models	DKS32 7PK	Compatible Vehicle Models	DKS32 Double A
Part Number	FD3207	Part Number	FD3208	Part Number	FD3209
Pulley Parameters	6PK/ $\phi$ 147	Pulley Parameters	7PK/ $\phi$ 152	Pulley Parameters	Double A/ $\phi$ 158
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V

FD32 Series



Compatible Vehicle Models	DKS32 Double A	Compatible Vehicle Models	DKS32 8PK	Compatible Vehicle Models	DKS32 6PK
Part Number	FD3210	Part Number	FD3211	Part Number	FD3212
Pulley Parameters	Double A/φ158	Pulley Parameters	8PK/ φ 147	Pulley Parameters	6PK/ φ 147
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	DKS32 Rear Output	Compatible Vehicle Models		Compatible Vehicle Models	
Part Number	FD3213	Part Number		Part Number	
Pulley Parameters	Single B/φ158	Pulley Parameters		Pulley Parameters	
Coil Voltage	24V	Coil Voltage		Coil Voltage	
					
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	

FT16 Series



Compatible Vehicle Models	TM16 Eight-Pin Rear Output	Compatible Vehicle Models	TM16 Eight-Pin Rear Output	Compatible Vehicle Models	TM16 Eight-Pin Rear Output
Part Number	FT1601	Part Number	FT1602	Part Number	FT1603
Pulley Parameters	2A/ φ 135	Pulley Parameters	2A/ φ 135	Pulley Parameters	8PK/ φ 119
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	24V





Compatible Vehicle Models	TM16 Eight-Pin Rear Output	Compatible Vehicle Models	TM16 Eight-Pin Rear Output	Compatible Vehicle Models	TM16 Eight-Pin Rear Output
Part Number	FT1604	Part Number	FT1605	Part Number	FT1606
Pulley Parameters	8PK/ φ 119	Pulley Parameters	Single B/φ159	Pulley Parameters	Single B/φ159
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V

--	--	--	--	--	--

Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	

FT21 Series

					
Compatible Vehicle Models	TM21 Serial Pin Rear Output	Compatible Vehicle Models	TM21 Serial Pin Rear Output	Compatible Vehicle Models	TM21 Serial Pin Rear Output
Part Number	FT2101	Part Number	FT2102	Part Number	FT2103
Pulley Parameters	Single B/φ150	Pulley Parameters	2A/ φ 145	Pulley Parameters	8PK/ φ 137
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	TM21 Serial Pin Rear Output	Compatible Vehicle Models	TM21 Serial Pin Rear Output	Compatible Vehicle Models	TM21 Serial Pin Rear Output
Part Number	FT2104	Part Number	FT2105	Part Number	FT2106
Pulley Parameters	Single B/φ150	Pulley Parameters	2A/ φ 145	Pulley Parameters	Double B/φ150
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	24V
					
Compatible Vehicle Models	TM21 Serial Pin Rear Output	Compatible Vehicle Models	TM21 Serial Pin Rear Output Small Pulley	Compatible Vehicle Models	TM21 Serial Pin Rear Output
Part Number	FT2107	Part Number	FT2108	Part Number	FT2109
Pulley Parameters	8PK/ φ 137	Pulley Parameters	8PK/ φ 119	Pulley Parameters	6PK/ φ 137
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V

FT21 Series



Compatible Vehicle Models		TM21 Serial Pin Rear Output		Compatible Vehicle Models				Compatible Vehicle Models			
Part Number		FT2110		Part Number				Part Number			
Pulley Parameters		6PK/ φ 137		Pulley Parameters				Pulley Parameters			
Coil Voltage		24V		Coil Voltage				Coil Voltage			
Compatible Vehicle Models				Compatible Vehicle Models				Compatible Vehicle Models			
Part Number				Part Number				Part Number			
Pulley Parameters				Pulley Parameters				Pulley Parameters			
Coil Voltage				Coil Voltage				Coil Voltage			
Compatible Vehicle Models				Compatible Vehicle Models				Compatible Vehicle Models			
Part Number				Part Number				Part Number			
Pulley Parameters				Pulley Parameters				Pulley Parameters			
Coil Voltage				Coil Voltage				Coil Voltage			

## FP15 Series



Compatible Vehicle Models	10PA15 Daewoo	Compatible Vehicle Models	10PA15 Daewoo	Compatible Vehicle Models	10PA15 Daewoo
Part Number	FP1501	Part Number	FP1502	Part Number	FP1503
Pulley Parameters	Single A/φ142	Pulley Parameters	Single B/φ142	Pulley Parameters	4PK/ φ 130
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V



Compatible Vehicle Models	10PA15 Longgong	Compatible Vehicle Models	10PA15 Longgong	Compatible Vehicle Models	10PA15 John Deere
Part Number	FP1504	Part Number	FP1505	Part Number	FP1506
Pulley Parameters	Single A/φ142	Pulley Parameters	Single A/φ142	Pulley Parameters	8PK/ φ 120
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V



Compatible Vehicle Models	10PA15 Mercedes-Benz	Compatible Vehicle Models	10PA Mercedes-Benz	Compatible Vehicle Models	10PA15 Mercedes-Benz
Part Number	FP1507	Part Number	FP1508	Part Number	FP1509
Pulley Parameters	9PK/ φ 130	Pulley Parameters	8PK/ φ 120	Pulley Parameters	11PK/ φ 130
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V

FP17/FP21 Series



Compatible Vehicle Models		Hongyan Jieshi New Model		Compatible Vehicle Models		Hongyan Jieshi Old Model		Compatible Vehicle Models	
Part Number		FP1701		Part Number		FP1702		Part Number	
Pulley Parameters		4PK/ $\phi$ 120		Pulley Parameters		4PK/ $\phi$ 120		Pulley Parameters	
Coil Voltage		24V		Coil Voltage		24V		Coil Voltage	
Compatible Vehicle Models				Compatible Vehicle Models				Compatible Vehicle Models	
Part Number				Part Number				Part Number	
Pulley Parameters				Pulley Parameters				Pulley Parameters	
Coil Voltage				Coil Voltage				Coil Voltage	
Compatible Vehicle Models		Suzhou Jinlong		Compatible Vehicle Models				Compatible Vehicle Models	
Part Number		FP2101		Part Number				Part Number	
Pulley Parameters		7PK/ $\phi$ 133		Pulley Parameters				Pulley Parameters	
Coil Voltage		12V		Coil Voltage				Coil Voltage	







FP30 Series











Compatible Vehicle Models	10P30 Coaster	Compatible Vehicle Models	10P30 Coaster	Compatible Vehicle Models	10P30 Coaster
Part Number	FP3001	Part Number	FP3002	Part Number	FP3003
Pulley Parameters	5PK/ $\phi$ 150	Pulley Parameters	Double O/ $\phi$ 156	Pulley Parameters	7PK/ $\phi$ 151
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	

## FP35 Series












Compatible Vehicle Models	Xiamen King Long	Compatible Vehicle Models	Xiamen King Long	Compatible Vehicle Models	10P35 Front Output
Part Number	FP3501	Part Number	FP3502	Part Number	FP3503
Pulley Parameters	7PK/ $\phi$ 154	Pulley Parameters	Double B/ $\phi$ 163	Pulley Parameters	Double B/ $\phi$ 165
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	24V
  					
Compatible Vehicle Models	10P35 Front Output	Compatible Vehicle Models	10P35 Front Output	Compatible Vehicle Models	10P35 Front Output
Part Number	FP3504	Part Number	FP3505	Part Number	FP3506
Pulley Parameters	8PK/ $\phi$ 147	Pulley Parameters	8PK/ $\phi$ 180	Pulley Parameters	10PK/ $\phi$ 152
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
  					
Compatible Vehicle Models	Xiamen King Long Top Output	Compatible Vehicle Models	Xiamen King Long Top Output	Compatible Vehicle Models	10P35 Rear Output Large Pulley
Part Number	FP3507	Part Number	FP3508	Part Number	FP3509
Pulley Parameters	7PK/ $\phi$ 154	Pulley Parameters	8PK/ $\phi$ 147	Pulley Parameters	8PK/ $\phi$ 180
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V










FP35 Series

					
Compatible Vehicle Models	10P35 Rear Output	Compatible Vehicle Models	10P35 Rear Output (Small Pulley)	Compatible Vehicle Models	10P35 Rear Output
Part Number	FP3510	Part Number	FP3511	Part Number	FP3512
Pulley Parameters	Double B/φ163	Pulley Parameters	8PK/ φ 147	Pulley Parameters	10PK/ φ 152
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	10P35 Top Output	Compatible Vehicle Models	10P35 Top Output	Compatible Vehicle Models	10P35 Top Output (Large Pulley)
Part Number	FP3513	Part Number	FP3514	Part Number	FP3515
Pulley Parameters	Single B/φ163	Pulley Parameters	Single B/φ163	Pulley Parameters	8PK φ 180
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	10P35 Rear Output (Small Pulley)	Compatible Vehicle Models	10P35 Top Output	Compatible Vehicle Models	
Part Number	FP3516	Part Number	FP3517	Part Number	
Pulley Parameters	8PK/ φ 147	Pulley Parameters	Double B/φ163	Pulley Parameters	
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	

FV15 Series

					
Compatible Vehicle Models	Delong X3000	Compatible Vehicle Models	Delong Beveled	Compatible Vehicle Models	New Auman
Part Number	FV1501	Part Number	FV1502	Part Number	FV1503
Pulley Parameters	6PK/ φ 120	Pulley Parameters	8PK/ φ 119	Pulley Parameters	6PK/ φ 120
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	Delong Beveled	Compatible Vehicle Models	Cummins	Compatible Vehicle Models	Dongfeng Cummins M20
Part Number	FV1504	Part Number	FV1505	Part Number	FV1506
Pulley Parameters	6PK/ φ 120	Pulley Parameters	2A/ φ 133	Pulley Parameters	8PK/ φ 119
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	Cummins	Compatible Vehicle Models	Volvo Mini Excavator	Compatible Vehicle Models	Sany Crane
Part Number	FV1507	Part Number	FV1508	Part Number	FV1509
Pulley Parameters	2A/ φ 133	Pulley Parameters	Single A/φ132	Pulley Parameters	6PK/ φ 120
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	24V










FV15 Series

					
Compatible Vehicle Models	Hyundai-7	Compatible Vehicle Models	XCMG 920E	Compatible Vehicle Models	Daewoo 12V (Gasket)
Part Number	FV1510	Part Number	FV1511	Part Number	FV1512
Pulley Parameters	Single A/φ132	Pulley Parameters	Single A/φ132	Pulley Parameters	Single A/φ131
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	12V
					
Compatible Vehicle Models	Hyundai 12V (Rubber Ring)	Compatible Vehicle Models	Mercedes-Benz Standard Opening	Compatible Vehicle Models	Mercedes-Benz Reverse Opening
Part Number	FV1513	Part Number	FV1514	Part Number	FV1515
Pulley Parameters	Single A/φ131	Pulley Parameters	9PK/ φ 130	Pulley Parameters	9PK/ φ 130
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	V5 New Hanwei	Compatible Vehicle Models	Chevrolet Cruze	Compatible Vehicle Models	Opel Astra
Part Number	FV1516	Part Number	FV1517	Part Number	FV1518
Pulley Parameters	6PK/ φ 132	Pulley Parameters	6PK/ φ 120	Pulley Parameters	6PK/ φ 120
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	12V

FV15 Series

					
Compatible Vehicle Models	Sail	Compatible Vehicle Models	Cummins	Compatible Vehicle Models	Delong Beveled
Part Number	FV1519	Part Number	FV1520	Part Number	FV1521
Pulley Parameters	6PK/ φ 125	Pulley Parameters	6PK/ φ 120	Pulley Parameters	Single A/φ132
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V
					
Compatible Vehicle Models	China National Heavy Duty Truck Group	Compatible Vehicle Models	Delong F3000	Compatible Vehicle Models	Dongfanghong Tractor
Part Number	FV1522	Part Number	FV1523	Part Number	FV1524
Pulley Parameters	10PK/ φ 120	Pulley Parameters	Single A/φ132	Pulley Parameters	Single A/φ132
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	12V
					
Compatible Vehicle Models	Kaiyue 1. 6L	Compatible Vehicle Models	Kaiyue 1. 8L	Compatible Vehicle Models	Da Buick
Part Number	FV1525	Part Number	FV1526	Part Number	FV1527
Pulley Parameters	6PK/ φ 120	Pulley Parameters	6PK/ φ 120	Pulley Parameters	6PK/ φ 110
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V

## FV15 Series

					
Compatible Vehicle Models	Bora	Compatible Vehicle Models	Lefeng	Compatible Vehicle Models	Shuaike 1. 6L
Part Number	FV1528	Part Number	FV1529	Part Number	FV1530
Pulley Parameters	6PK/ $\phi$ 130	Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	6PK/ $\phi$ 120
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	XCMG Rear Discharge	Compatible Vehicle Models	Renault	Compatible Vehicle Models	Renault 2. 0L
Part Number	FV1531	Part Number	FV1532	Part Number	FV1533
Pulley Parameters	Single B / $\phi$ 132	Pulley Parameters	7PK/ $\phi$ 120	Pulley Parameters	6PK/ $\phi$ 120
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	Auman EST	Compatible Vehicle Models	Foreign Trade 2. 0L Double Slot	Compatible Vehicle Models	Shuaike 1. 5L
Part Number	FV1534	Part Number	FV1535	Part Number	FV1536
Pulley Parameters	5PK/ $\phi$ 138	Pulley Parameters	2A/ $\phi$ 133	Pulley Parameters	6PK/ $\phi$ 120
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	12V

## FV15 Series



Compatible Vehicle Models	Zhonghua	Compatible Vehicle Models	Zhonghua Junjie	Compatible Vehicle Models	Hyundai-9
Part Number	FV1537	Part Number	FV1538	Part Number	FV1539
Pulley Parameters	5PK/ $\phi$ 128	Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	Single A/ $\phi$ 133
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	24V



Compatible Vehicle Models	Liugong Excavator	Compatible Vehicle Models	Liugong Excavator	Compatible Vehicle Models	Buick Regal 2.0
Part Number	FV1540	Part Number	FV1541	Part Number	FV1542
Pulley Parameters	2A/ $\phi$ 133	Pulley Parameters	2A/ $\phi$ 133	Pulley Parameters	6PK/ $\phi$ 120
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V



Compatible Vehicle Models	Fiat	Compatible Vehicle Models	Dongfeng Mengshi	Compatible Vehicle Models	Jinbei 025B
Part Number	FV1543	Part Number	FV1544	Part Number	FV1545
Pulley Parameters	Single A/ $\phi$ 142	Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	4PK/ $\phi$ 120
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V

FV15 Series

					
Compatible Vehicle Models	Great Liberation	Compatible Vehicle Models	Liberation J6	Compatible Vehicle Models	Passat B5
Part Number	FV1546	Part Number	FV1547	Part Number	FV1548
Pulley Parameters	2A/ φ 133	Pulley Parameters	2A/ φ 133	Pulley Parameters	4PK/ φ 120
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	12V
					
Compatible Vehicle Models	Audi A6	Compatible Vehicle Models	Mercedes-Benz Standard Opening	Compatible Vehicle Models	Mercedes-Benz Reverse Opening
Part Number	FV1549	Part Number	FV1550	Part Number	FV1551
Pulley Parameters	6PK/ φ 120	Pulley Parameters	9PK/ φ 130	Pulley Parameters	9PK/ φ 130
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V
					
Compatible Vehicle Models	Mercedes-Benz Standard Opening	Compatible Vehicle Models	Renault 1.6	Compatible Vehicle Models	V5 Tianlong Flagship
Part Number	FV1552	Part Number	FV1553	Part Number	FV1554
Pulley Parameters	11PK/ φ 130	Pulley Parameters	6PK/ φ 125	Pulley Parameters	6PK/ φ 120
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	24V

FV15 Series



Compatible Vehicle Models	V5 XCMG 400	Compatible Vehicle Models	Small Liberation	Compatible Vehicle Models	Foreign Trade 2.0 Four-Groove
Part Number	FV1555	Part Number	FV1556	Part Number	FV1557
Pulley Parameters	6PK/ φ 120	Pulley Parameters	2A/ φ 133	Pulley Parameters	4PK/ φ 120
Coil Voltage	24V	Coil Voltage	12V	Coil Voltage	12V



Compatible Vehicle Models	Daewoo 12V (With Wire)	Compatible Vehicle Models	Hyundai 12V (With Wire)	Compatible Vehicle Models	Rextar
Part Number	FV1558	Part Number	FV1559	Part Number	FV1560
Pulley Parameters	Single A/φ132	Pulley Parameters	Single A/φ132	Pulley Parameters	6PK/ φ 120
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V



Compatible Vehicle Models	Daewoo Noblesse	Compatible Vehicle Models	Jinbei 001D	Compatible Vehicle Models	Hyundai-7 (six-pole)
Part Number	FV1561	Part Number	FV1562	Part Number	FV1563
Pulley Parameters	Single A/φ131	Pulley Parameters	4PK/ φ 120	Pulley Parameters	Single A/φ131
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	24V

## FV15 Series

Compatible Vehicle Models	Cummins 6PK (12V)	Compatible Vehicle Models	Huatai Santa Fe	Compatible Vehicle Models	Oumeijia 2.0
Part Number	FV1564	Part Number	FV1565	Part Number	FV1566
Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	2A/ $\phi$ 132
Coil Voltage	12V	Coil Voltage	12V	Coil Voltage	12V
Compatible Vehicle Models	V5 three-pin rear outlet 5PK	Compatible Vehicle Models	V5 serial-pin rear outlet rubber ring 8PK	Compatible Vehicle Models	V5 Daewoo
Part Number	FV1567	Part Number	FV1568	Part Number	FV1569
Pulley Parameters	5PK/ $\phi$ 125	Pulley Parameters	8PK/ $\phi$ 120	Pulley Parameters	8PK/ $\phi$ 119
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	24V
Compatible Vehicle Models	Hyundai 24V (rubber ring)	Compatible Vehicle Models	Great Liberation	Compatible Vehicle Models	Jingyi
Part Number	FV1570	Part Number	FV1571	Part Number	FV1572
Pulley Parameters	Single A/ $\phi$ 131	Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	5PK/ $\phi$ 130
Coil Voltage	24V	Coil Voltage	24V	Coil Voltage	12V

FV15 Series



Compatible Vehicle Models	Oriental Son	Compatible Vehicle Models	Chevrolet Cruze (24V)	Compatible Vehicle Models	Yate 6PK 12V
Part Number	FV1573	Part Number	FV1574	Part Number	FV1575
Pulley Parameters	5PK/ $\phi$ 128	Pulley Parameters	6PK/ $\phi$ 120	Pulley Parameters	6PK/ $\phi$ 126
Coil Voltage	12V	Coil Voltage	24V	Coil Voltage	12V
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	
Compatible Vehicle Models		Compatible Vehicle Models		Compatible Vehicle Models	
Part Number		Part Number		Part Number	
Pulley Parameters		Pulley Parameters		Pulley Parameters	
Coil Voltage		Coil Voltage		Coil Voltage	